

## CERTIFICATE OF ANALYSIS

PRODUCED: SEP 27, 2020

SAMPLE: HUMBOLDT TREES - PRE ROLL SINGLE -0.7G - LEMON BANANA SHERBERT (PRE-ROLL) // CLIENT: GRUPO FLOR/ FLOR X, INC  
// BATCH: **PASS**



**BATCH NO.:** PR01\_LBS2905  
**MATRIX:** PRE-ROLL  
**CATEGORY:** INHALABLE  
**SAMPLE ID:** BCL-200923-156  
**COLLECTED ON:** SEP 23, 2020  
**RECEIVED ON:** SEP 23, 2020  
**BATCH SIZE:** 28879 UNITS  
**SAMPLE SIZE:** 32 UNITS  
**PACKAGE SIZE:** 0.7 G

### CANNABINOID OVERVIEW

<b>TOTAL THC:</b>	<b>25.12428 %</b>
<b>TOTAL CBD:</b>	<b>0.08039 %</b>
<b>TOTAL CANNABINOIDS:</b>	<b>30.15786 %</b>

### MANUFACTURER INFO

**MANUFACTURER**  
710 COMBINATOR CO.  
518 WORK ST  
SALINAS, CA 93901

**LICENSE**  
CDPH-10002658  
ADULT-USE AND MEDICINAL -  
MANUFACTURING LICENSE

### DISTRIBUTOR INFO

**DISTRIBUTOR**  
FLOR X, INC.  
516 WORK ST.  
SALINAS, CA 93901

**LICENSE**  
C11-0000401-LIC  
ADULT-USE - DISTRIBUTOR LICENSE



### BCL-03: CANNABINOID POTENCY BY HPLC-UV // SEP 25, 2020

### TERPENOID TESTING BY HS-GC/FID

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.07443 %	0.7443 mg/g	0.01036/0.23554	N/A	
CBCA	0.37801 %	3.7801 mg/g	0.02968/0.23554	N/A	
CBD	ND	ND	0.0146/0.23554	N/A	
CBDA	0.09166 %	0.9166 mg/g	0.00754/0.23554	N/A	
CBDV	0.04313 %	0.4313 mg/g	0.01131/0.23554	N/A	
CBDVA	ND	ND	0.00754/0.23554	N/A	
CBG	0.32096 %	3.2096 mg/g	0.01366/0.23554	N/A	
CBGA	0.70421 %	7.0421 mg/g	0.00942/0.23554	N/A	
CBN	ND	ND	0.00754/0.23554	N/A	
Δ <sup>8</sup> -THC	ND	ND	0.02732/0.23554	N/A	
Δ <sup>9</sup> -THC	2.25284 %	22.5284 mg/g	0.01979/0.23554	N/A	
THCA	26.07918 %	260.7918 mg/g	0.01413/0.23554	N/A	
THCV	ND	ND	0.01555/0.23554	N/A	
THCVA	0.21344 %	2.1344 mg/g	0.01083/0.23554	N/A	
<b>TOTAL THC **</b>	<b>25.12428 %</b>	<b>251.2428 mg/g</b>		<b>N/A</b>	
<b>TOTAL CBD **</b>	<b>0.08039 %</b>	<b>0.8039 mg/g</b>		<b>N/A</b>	
CBD/PKG	ND			N/A	
Δ <sup>9</sup> -THC/PKG	15.77 mg			PASS	
<b>TOTAL CBD/PKG **</b>	<b>0.56 mg</b>			<b>N/A</b>	
<b>TOTAL THC/PKG **</b>	<b>175.87 mg</b>			<b>N/A</b>	

ANALYTE	AMT	AMT	LOD/LOQ	PASS/FAIL
<b>TOTAL TERPENES</b>	<b>ND</b>	<b>ND</b>		<b>N/A</b>
α-PINENE	NT	NT		N/A
CAMPHERE	NT	NT		N/A
β-PINENE	NT	NT		N/A
β-MYRCENE	NT	NT		N/A
Δ <sup>3</sup> -CARENE	NT	NT		N/A
α-TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α-OCIMENE	NT	NT		N/A
β-OCIMENE	NT	NT		N/A
γ-TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β-CARYOPHYLLENE	NT	NT		N/A
α-HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAJOL	NT	NT		N/A
α-BISABOLOL	NT	NT		N/A
1,8-CINEOLE	NT	NT		N/A

\*\* TOTAL THC = (THCA X 0.877) + THC  
\*\* TOTAL CBD = (CBDA X 0.877) + CBD  
DRY-WEIGHT AMOUNTS SHOWN

# REGULATORY COMPLIANCE TESTING

SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 5730 OF CALIFORNIA CODE OF REGULATIONS TITLE 16 DIVISION 42 BUREAU OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

RESULTS CERTIFIED BY: RON BROOKS, M.S.  
LABORATORY DIRECTOR, BELCOSTA LABS  
SEP 27, 2020



## BCL-13: PESTICIDE TESTING BY GC/MS // SEP 25, 2020

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.03/0.05	PASS
CHLORDANE	Any amt	ND	0.03/0.05	PASS
CHLORFENAPYR	Any amt	ND	0.03/0.05	PASS
CHLORPYRIFOS	Any amt	ND	0.03/0.05	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
DICHLORVOS	Any amt	ND	0.03/0.05	PASS
METHYL PARATHION	Any amt	ND	0.03/0.05	PASS
PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.03/0.05	PASS

## BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // SEP 26, 2020

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.03/0.05	PASS
ACEPHATE	0.1 µg/g	ND	0.03/0.05	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.03/0.05	PASS
ACETAMIPRID	0.1 µg/g	ND	0.03/0.05	PASS
ALDICARB	Any amt	ND	0.03/0.05	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.03/0.05	PASS
BIFENAZATE	0.1 µg/g	ND	0.03/0.05	PASS
BIFENTHRIN	3 µg/g	ND	0.03/0.05	PASS
BOSCALID	0.1 µg/g	ND	0.03/0.05	PASS
CARBARYL	0.5 µg/g	ND	0.03/0.05	PASS
CARBOFURAN	Any amt	ND	0.03/0.05	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.03/0.05	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.03/0.05	PASS
COUMAPHOS	Any amt	ND	0.03/0.05	PASS
CYFLUTHRIN	2 µg/g	ND	0.03/0.05	PASS
CYPERMETHRIN	1 µg/g	ND	0.03/0.05	PASS
DAMINOZIDE	Any amt	ND	0.03/0.05	PASS
DIAZINON	0.1 µg/g	ND	0.03/0.05	PASS
DIMETHOATE	Any amt	ND	0.03/0.05	PASS
DIMETHOMORPH	2 µg/g	ND	0.03/0.05	PASS
ETHOPROPHOS	Any amt	ND	0.03/0.05	PASS
ETOFENPROX	Any amt	ND	0.03/0.05	PASS
ETOXAZOLE	0.1 µg/g	ND	0.03/0.05	PASS
FENHEXAMID	0.1 µg/g	ND	0.03/0.05	PASS
FENOXYCARB	Any amt	ND	0.03/0.05	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.03/0.05	PASS
FIPRONIL	Any amt	ND	0.03/0.05	PASS
FLONICAMID	0.1 µg/g	ND	0.03/0.05	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.03/0.05	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.03/0.05	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
IMAZALIL	Any amt	ND	0.03/0.05	PASS
IMIDACLOPRID	5 µg/g	ND	0.03/0.05	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.03/0.05	PASS
MALATHION	0.5 µg/g	ND	0.03/0.05	PASS
METALAXYL	2 µg/g	ND	0.03/0.05	PASS
METHIOCARB	Any amt	ND	0.03/0.05	PASS
METHOMYL	1 µg/g	ND	0.03/0.05	PASS
MEVINPHOS	Any amt	ND	0.03/0.05	PASS
MYCLOBUTANIL	0.1 µg/g	ND	0.03/0.05	PASS
NALED	0.1 µg/g	ND	0.03/0.05	PASS
OXAMYL	0.5 µg/g	ND	0.03/0.05	PASS
PACLOBUTRAZOL	Any amt	ND	0.03/0.05	PASS
PERMETHRIN	0.5 µg/g	ND	0.03/0.05	PASS
PHOSMET	0.1 µg/g	ND	0.03/0.05	PASS
PIPERONYLBUTO-XIDE	3 µg/g	ND	0.03/0.05	PASS
PRALLETHRIN	0.1 µg/g	ND	0.03/0.05	PASS
PROPICONAZOLE	0.1 µg/g	ND	0.03/0.05	PASS
PROPOXUR	Any amt	ND	0.03/0.05	PASS
PYRETHRINS	0.5 µg/g	ND	0.03/0.05	PASS
PYRIDABEN	0.1 µg/g	ND	0.03/0.05	PASS
SPINETORAM	0.1 µg/g	ND	0.03/0.05	PASS
SPINOSAD	0.1 µg/g	ND	0.03/0.05	PASS
SPIROMESIFEN	0.1 µg/g	ND	0.03/0.05	PASS
SPIROTETRAMAT	0.1 µg/g	ND	0.03/0.05	PASS
SPIROXAMINE	Any amt	ND	0.03/0.05	PASS
TEBUCONAZOLE	0.1 µg/g	ND	0.03/0.05	PASS
THIACLOPRID	Any amt	ND	0.03/0.05	PASS
THIAMETHOXAM	5 µg/g	ND	0.03/0.05	PASS
TRIFLOXYSTROB-IN	0.1 µg/g	ND	0.03/0.05	PASS



## BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // SEP 25, 2020

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.1/0.4688	PASS
ACETONE	5000 µg/g	< LOQ	0.015/46.88	PASS
ACETONITRILE	410 µg/g	ND	0.16/46.88	PASS
BENZENE	1 µg/g	ND	0.13/0.4688	PASS
BUTANE	5000 µg/g	ND	0.0086/46.88	PASS
CHLOROFORM	1 µg/g	ND	0.057/0.4688	PASS
ETHANOL	5000 µg/g	ND	0.54/46.88	PASS
ETHYL ACETATE	5000 µg/g	ND	0.015/46.88	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.023/0.4688	PASS
ETHYL ETHER	5000 µg/g	ND	0.013/46.88	PASS
HEPTANE	5000 µg/g	ND	0.007/46.88	PASS
HEXANE	290 µg/g	ND	0.0058/46.88	PASS
ISOPROPYL ALCOHOL	5000 µg/g	< LOQ	0.12/46.88	PASS
METHANOL	3000 µg/g	ND	3/46.88	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.032/0.4688	PASS
PENTANE	5000 µg/g	ND	0.0049/46.88	PASS
PROPANE	5000 µg/g	ND	0.089/46.88	PASS
TOLUENE	890 µg/g	ND	0.024/46.88	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.051/0.4688	PASS
O-XYLENE		ND	0.034/23.44	N/A
P- AND M-XYLENE		ND	0.034/23.44	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

## BCL-020: HEAVY METAL TESTING BY ICP-MS // SEP 26, 2020

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	0.1 µg/g	< LOQ	0.0001/0.01	PASS

## BCL-02: MOISTURE CONTENT BY GRAVIMETRY // SEP 24, 2020

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		10.00	N/A

## BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // SEP 24, 2020

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
CINDERS	25 %	ND	PASS
DIRT	25 %	ND	PASS
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS	1 Unit	ND	PASS
MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
RODENT HAIR	1 Unit	ND	PASS
SAND	25 %	ND	PASS
SOIL	25 %	ND	PASS

## BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // SEP 25, 2020

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

## BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // SEP 26, 2020

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

## BCL-12: WATER ACTIVITY BY HUMIDITY EQUILIBRIUM // SEP 24, 2020

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.55	PASS

