

CERTIFICATE OF ANALYSIS

PRODUCED: JUN 12, 2021

SAMPLE: HUMBOLDT TREES - PRE ROLL 5 PACK - 3.5 GRAMS - ROLLS CHOICE (PRE-ROLL) // CLIENT: GRUPO FLOR/ FLOR X, INC // BATCH: **PASS**



BATCH NO.: MPR_110620_ROC2902
MATRIX: PRE-ROLL
CATEGORY: INHALABLE
SAMPLE ID: BCL-210609-009
COLLECTED ON: JUN 09, 2021
RECEIVED ON: JUN 09, 2021
BATCH/SAMPLE SIZE: 3529 U / 20 U
PACKAGE SIZE: 3.5 G
UID: 1A4060300002A31000000785

CANNABINOID OVERVIEW

TOTAL THC:	22.4728 %
TOTAL CBD:	0.05324 %
TOTAL CANNABINOIDS:	26.64167 %

MANUFACTURER INFO

MANUFACTURER
 710 COMBINATOR CO.
 518 WORK ST
 SALINAS, CA 93901

LICENSE
 CDPH-10002658
 ADULT-USE AND MEDICINAL -
 MANUFACTURING LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 FLOR X, INC.
 516 WORK ST.
 SALINAS, CA 93901

LICENSE
 C11-0000401-LIC
 ADULT-USE - DISTRIBUTOR LICENSE



BCL-03: CANNABINOID POTENCY BY HPLC-UV // JUN 11, 2021

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.09631 %	0.9631 mg/g	0.01088/0.24723	N/A
CBCA	0.32750 %	3.2750 mg/g	0.03115/0.24723	N/A
CBD	ND	ND	0.01533/0.24723	N/A
CBDA	0.06071 %	0.6071 mg/g	0.00791/0.24723	N/A
CBDV	ND	ND	0.01187/0.24723	N/A
CBDVA	ND	ND	0.00791/0.24723	N/A
CBG	0.08148 %	0.8148 mg/g	0.01434/0.24723	N/A
CBGA	0.58050 %	5.8050 mg/g	0.00989/0.24723	N/A
CBN	< LOQ	< LOQ	0.00791/0.24723	N/A
Δ ⁸ -THC	ND	ND	0.02868/0.24723	N/A
Δ ⁹ -THC	1.67908 %	16.7908 mg/g	0.02077/0.24723	N/A
THCA	23.71006 %	237.1006 mg/g	0.01483/0.24723	N/A
THCV	ND	ND	0.01632/0.24723	N/A
THCVA	0.10603 %	1.0603 mg/g	0.01137/0.24723	N/A
TOT THC **	22.47280 %	224.7280 mg/g		N/A
TOT CBD **	0.05324 %	0.5324 mg/g		N/A
CBD/PKG	ND			N/A
Δ ⁹ -THC/PKG	58.77 mg			N/A
TOT CBD/PKG **	1.86 mg			N/A
TOT THC/PKG **	786.55 mg			N/A

TERPENOID TESTING BY HS-GC/FID

ANALYTE	AMT	AMT	LOD/LOQ ()	PASS/FAIL
TOTAL TERPENES	ND	ND		N/A
α-PINENE	NT	NT		N/A
CAMPHENE	NT	NT		N/A
β-PINENE	NT	NT		N/A
β-MYRCENE	NT	NT		N/A
Δ ³ -CARENE	NT	NT		N/A
α-TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α-OCIMENE	NT	NT		N/A
β-OCIMENE	NT	NT		N/A
γ-TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β-CARYOPHYLLENE	NT	NT		N/A
α-HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAIOL	NT	NT		N/A
α-BISABOLOL	NT	NT		N/A
1,8-CINEOLE *	NT	NT		N/A

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD
 DRY-WEIGHT AMOUNTS SHOWN

* BEYOND SCOPE OF ACCREDITATION

SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 5730 OF CALIFORNIA CODE OF REGULATIONS TITLE 16 DIVISION 42 BUREAU OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

RESULTS CERTIFIED BY: RON BROOKS, M.S.
 LABORATORY DIRECTOR, BELCOSTA LABS
 JUN 12, 2021



BCL-13: PESTICIDE TESTING BY GC/MS // JUN 12, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.01977/0.06	PASS
CHLORDANE	Any amt	ND		PASS
CHLORDANE CIS		ND	0.01199/0.03	N/A
CHLORDANE TRANS		ND	0.01082/0.03	N/A
CHLORFENAPYR	Any amt	ND	0.01364/0.06	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORPYRIFOS	Any amt	ND	0.01653/0.06	PASS
DICHLORVOS	Any amt	ND	0.01165/0.06	PASS
METHYL PARATHION	Any amt	ND	0.00851/0.06	PASS
PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.01282/0.06	PASS

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // JUN 12, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.01153/0.04	PASS
ACEPHATE	0.1 µg/g	ND	0.00368/0.02	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.00417/0.02	PASS
ACETAMIPRID	0.1 µg/g	ND	0.00464/0.02	PASS
ALDICARB	Any amt	ND	0.01109/0.04	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.00639/0.02	PASS
BIFENAZATE	0.1 µg/g	ND	0.00355/0.02	PASS
BIFENTHRIN	3 µg/g	ND	0.00473/0.04	PASS
BOSCALID	0.1 µg/g	ND	0.00494/0.02	PASS
CARBARYL	0.5 µg/g	ND	0.00295/0.02	PASS
CARBOFURAN	Any amt	ND	0.00613/0.02	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.00697/0.04	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0054/0.02	PASS
COUMAPHOS	Any amt	ND	0.00215/0.02	PASS
CYFLUTHRIN	2 µg/g	ND	0.05508/0.2	PASS
CYPERMETHRIN	1 µg/g	ND	0.00556/0.04	PASS
DAMINOZIDE	Any amt	ND	0.00227/0.04	PASS
DIAZINON	0.1 µg/g	ND	0.00487/0.02	PASS
DIMETHOATE	Any amt	ND	0.00354/0.02	PASS
DIMETHOMORPH	2 µg/g	ND		PASS
DIMETHOMORPH I		ND	0.00109/0.0078	N/A
DIMETHOMORPH II		ND	0.0015/0.0122	N/A
ETHOPROPHOS	Any amt	ND	0.0041/0.02	PASS
ETOFENPROX	Any amt	ND	0.00274/0.02	PASS
ETOXAZOLE	0.1 µg/g	ND	0.00385/0.02	PASS
FENHEXAMID	0.1 µg/g	ND	0.01055/0.02	PASS
FENOXYCARB	Any amt	ND	0.00175/0.02	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.00481/0.02	PASS
FIPRONIL	Any amt	ND	0.00478/0.02	PASS
FLONICAMID	0.1 µg/g	ND	0.00398/0.02	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.01369/0.04	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00297/0.02	PASS
IMAZALIL	Any amt	ND	0.0056/0.02	PASS
IMIDACLOPRID	5 µg/g	ND	0.00645/0.02	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00339/0.02	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
MALATHION	0.5 µg/g	ND	0.00472/0.02	PASS
METALAXYL	2 µg/g	ND	0.00503/0.02	PASS
METHIOCARB	Any amt	ND	0.00503/0.02	PASS
METHOMYL	1 µg/g	ND	0.00494/0.02	PASS
MEVINPHOS	Any amt	ND		PASS
MEVINPHOS I		ND	0.00163/0.0084	N/A
MEVINPHOS II		ND	0.00542/0.0316	N/A
MYCLOBUTANIL	0.1 µg/g	ND	0.00867/0.04	PASS
NALED	0.1 µg/g	ND	0.00328/0.02	PASS
OXAMYL	0.5 µg/g	ND	0.00455/0.02	PASS
PACLOBUTRAZOL	Any amt	ND	0.00714/0.04	PASS
PERMETHRIN	0.5 µg/g	ND		PASS
PERMETHRIN CIS		ND	0.00237/0.0082	N/A
PERMETHRIN TRANS		ND	0.00245/0.0118	N/A
PHOSMET	0.1 µg/g	ND	0.0043/0.02	PASS
PIPERONYLBUTOXIDE	3 µg/g	ND	0.00247/0.02	PASS
PRALLETHRIN	0.1 µg/g	ND	0.00392/0.02	PASS
PROPICONAZOLE	0.1 µg/g	ND	0.0024/0.02	PASS
PROPOXUR	Any amt	ND	0.00374/0.02	PASS
PYRETHRINS	0.5 µg/g	ND	0.00726/0.04	PASS
PYRIDABEN	0.1 µg/g	ND	0.0034/0.02	PASS
SPINETORAM	0.1 µg/g	ND		PASS
SPINETORAM J		ND	0.00329/0.016	N/A
SPINETORAM L		ND	0.00157/0.016	N/A
SPINOSAD	0.1 µg/g	ND		PASS
SPINOSAD A		ND	0.00205/0.01438	N/A
SPINOSAD D		ND	0.00104/0.00498	N/A
SPIROMESIFEN	0.1 µg/g	ND	0.00944/0.04	PASS
SPIROTETRAMAT	0.1 µg/g	ND	0.00208/0.02	PASS
SPIROXAMINE	Any amt	ND	0.00344/0.02	PASS
TEBUCONAZOLE	0.1 µg/g	ND	0.00816/0.04	PASS
THIACLOPRID	Any amt	ND	0.0039/0.02	PASS
THIAMETHOXAM	5 µg/g	ND	0.00358/0.02	PASS
TRIFLOXYSTROBIN	0.1 µg/g	ND	0.00421/0.02	PASS



BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // JUN 11, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.16751/0.58434	PASS
ACETONE	5000 µg/g	ND	18.85469/58.43397	PASS
ACETONITRILE	410 µg/g	ND	16.73159/58.43397	PASS
BENZENE	1 µg/g	ND	0.07402/0.58434	PASS
BUTANE	5000 µg/g	ND	17.64316/58.43397	PASS
CHLOROFORM	1 µg/g	ND	0.17141/0.58434	PASS
ETHANOL	5000 µg/g	ND	14.46436/58.43397	PASS
ETHYL ACETATE	5000 µg/g	ND	17.86132/58.43397	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.18699/0.58434	PASS
ETHYL ETHER	5000 µg/g	ND	15.73432/58.43397	PASS
HEPTANE	5000 µg/g	ND	13.76704/58.43397	PASS
HEXANE	290 µg/g	ND	21.19595/97.38995	PASS
ISOPROPYL ALCOHOL	5000 µg/g	ND	14.60849/58.43397	PASS
METHANOL	3000 µg/g	ND	13.1009/58.43397	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.14803/0.58434	PASS
PENTANE	5000 µg/g	ND	32.2166/97.38995	PASS
PROPANE	5000 µg/g	ND	16.64589/58.43397	PASS
TOLUENE	890 µg/g	ND	9.19751/58.43397	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.07791/0.58434	PASS
O-XYLENE		ND	4.35528/29.21698	N/A
P- AND M-XYLENE		ND	4.03584/29.21698	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // JUN 12, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-12: WATER ACTIVITY BY HUMIDITY EQUILIBRIUM // JUN 11, 2021

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.53	PASS

BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // JUN 10, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // JUN 11, 2021

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // JUN 10, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	0.087	0.0003/0.05	PASS
MERCURY	0.1 µg/g	< LOQ	0.0001/0.01	PASS

BCL-02: MOISTURE CONTENT BY GRAVIMETRY // JUN 10, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		10.00	N/A

